



TS-231K

CPU	AnnapurnaLabs, an Amazon company Alpine AL214, 4-core, 1.7GHz
CPU Architecture	32-bit ARM
Wake on LAN (WOL)	Yes
Floating Point Unit	Yes
Encryption Engine	Yes
System Memory	1GB DDR3
Maximum Memory	1GB DDR3
Flash Memory	512 MB (Dual boot OS protection)
Drive Bay	2 x 3.5-inch SATA 6Gb/s, 3Gb/s
Drive Compatibility	3.5-inch bays: 3.5-inch SATA hard disk drives 2.5-inch SATA hard disk drives 2.5-inch SATA solid state drives
Hot-swappable	Yes
SSD Cache Acceleration Support	Yes
Gigabit Ethernet Port (RJ45)	2
Jumbo Frame	Yes
USB 3.2 Gen 1 port	3
Form Factor	Tower
Form Factor LED Indicators	Tower Power, Status, LAN, USB, HDD1-2
LED Indicators	Power, Status, LAN, USB, HDD1-2
LED Indicators Buttons	Power, Status, LAN, USB, HDD1-2 Power, Reset, USB Auto Copy

Weight (Gross)	2.49 kg
Operating temperature	0 - 40 °C (32°F - 104°F)
Relative Humidity	5-95% RH non-condensing, wet bulb: 27°C (80.6°F)
Power Supply Unit	60W/65W Adapter, 100-240V
Power Consumption: HDD Sleep Mode	8.46 W
Power Consumption: Operating Mode, Typical	15.6 W
Fan	1 x 7 cm smart fan (12V DC)
Sound Level	19.2 db(A)
System Warning	Buzzer
Kensington Security Slot	Yes
Max. Number of Concurrent Connections (CIFS)	400

Note: Use only QNAP memory modules to maintain system performance and stability. For NAS devices with more than one memory slot, use QNAP modules with identical specifications. Warning: Using unsupported modules may degrade performance, cause errors, or prevent the operating system from starting.

* Sound Level Test Environment: Refer to ISO 7779; Maximum HDD loaded; Bystander Position; Average data from 1 meter in front of operating NAS.

Designs and specifications are subject to change without notice.